

INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE



FEATURES

Intended Use:	Interior
Installation:	Suspension
Fixing:	Suspension system with steel rope(s) L=3100 mm and micrometric adjustment
Body/Structure:	Body made of extruded aluminum - Heads made of thermoplastic material
Painting:	Interior polyester powder coating
Finish:	Black
Glass/Screen:	Polycarbonate prismatic diffuser screen
Driver:	Integrated DALI dimmable driver for LED, 24Vdc output

TECHNICAL DATA

220-240V 50/60Hz
Symmetrical diffusing 120°
24Vdc
1
3.4 kg
40
650 °C
Yes
SMD LED
37 W
2860 lm
50.000 (h) L80 B20
3000 K
>90
3 SDCM

LIGHT SOURCE: 1 x LED 22.00W 2700Im



NOTES

On request: power increased max 36 Led L 1560mm







INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE

TECHNICAL DRAWING



PHOTOMETRIC CURVES





ACCESSORIES



wall mount kit 3194

Adapter for 3-phase track (already mounted on the device)



3193



Rosette	
168	BR
169	NR
165	BR
166	NR



Side

INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using highquality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

