



FEATURES

Intended Use:	Exteriors
Installation:	Floor/Floor
Body/Structure:	Extruded aluminum body and die-cast aluminum optical compartment
Painting:	Polyester powder coating with special outdoor treatment (sandblasting, pickling, No. 3 washing, fluorozincing, epoxy powder primer and polyester powder surface finish).
Finish:	Anthracite
Reflector/Optics:	99.8% pure aluminum reflector
Glass/Screen:	UV-stabilized transparent polycarbonate
Driver:	Integrated driver for LED, 500mA dc stabilized output

TECHNICAL DATA

Tension:	220-240V 50/60Hz
Beam:	Symmetrical, omnidirectional 360°
Current:	500mA
Insulation class:	2
Weight:	1.8 kg
IP grade:	65
Grade IK:	10
Glow wire:	850 °C
Lamp included:	Yes
LED type:	SMD LED
Overall power:	13 W
Appliance flow:	937 lm
Nominal duration:	50.000 (h) L90 B50
Color temperature:	4000 K
Color rendering index:	>90
Color consistency:	3 SDCM


LIGHT SOURCE: 1 x LED 11.00W 1560lm





NOTES

Maximum nighttime ambient temperature when the fitting is on not exceeding 50°C
 Minimum nighttime ambient temperature when the fitting is on not lower than -20°C
 Maximum daytime ambient temperature when the fitting is off not exceeding 60°C

TECHNICAL DRAWING



PHOTOMETRIC CURVES




ACCESSORIES




Ring for base cover 160mm

3127



Formwork for ground fixing

894



Galvanized steel pull plate

4073



IP68 connector \varnothing 7 to 12mm

646308 NE



IP68 "T" connector \varnothing 7 to 10mm for continuous rows

646636 NE

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using high-quality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.