


## FEATURES

Intended Use:	Exteriors
Installation:	Floor/wall/ceiling fixing
Body/Structure:	Aluminum body
Painting:	Epoxy powder coating with special outdoor treatment
Finish:	Grey
Reflector/Optics:	LED lens in methacrylate
Glass/Screen:	Clear tempered glass
Driver:	Integrated driver for LED, 200mA dc stabilized output

## TECHNICAL DATA

Tension:	220-240V 50/60Hz
Beam:	Concentric symmetrical 8°
Current:	200mA
Insulation class:	2
Weight:	0.2 kg
IP grade:	67
Grade IK:	07
Glow wire:	650 °C
Lamp included:	Yes
LED type:	Power LED
Overall power:	3 W
Appliance flow:	200 lm
Nominal duration:	50.000 (h) L80 B20
Color temperature:	3000 K
Color rendering index:	>80
Color consistency:	3 SDCM

LIGHT SOURCE: 1 x LED 2.00W 250lm



## NOTES


On request: remote driver

On request: 24 Vdc



On request:

Maximum nighttime ambience temperature when the fitting is on not exceeding 50°C  
 Minimum nighttime ambience temperature when the fitting is on not lower than -20°C  
 Maximum daytime ambience temperature when the fitting is off not exceeding 60°C

TECHNICAL DRAWING



PHOTOMETRIC CURVES




DRIVER




646518  
DRIVER  
DRIVER DALI 5-20W 100-380mA IP20

ACCESSORIES




Strap fastening to branches

3137



Spike to be buried

E1031 NE



Peg to be buried



Rod with stainless steel spike - H. 600mm


3150-GR

3150-NE

3150-BW

3150-VE

3150-CO



Peg to be buried



Rod with stainless steel spike - H. 1200mm

3151-GR

3151-NE

3151-BW

3151-VE

3151-CO



Rod with stainless steel spike - H. 1600mm

3152-GR

3152-NE

3152-BW

3152-VE

3152-CO



Baseplate for SPOT 35 - 60mm H.42mm

3157-GR

3157-NE

3157-VE

3157-BW

3157-CO



Supply cable protection cover, flexible stainless steel

3162

## COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using high-quality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.