

INDOOR > REMOVABLE-ADJUSTABLE RECESSED > STILO 60 INCASSO



FEATURES

| Intended Use: | Interior |
|-------------------|--|
| Installation: | Recessed Ceiling |
| Recessed hole: | ø 136x136 mm |
| Fixing: | Flat steel springs |
| Body/Structure: | Die-cast aluminum body and extruded aluminum optical compartment |
| Painting: | Interior polyester powder coating |
| Finish: | Black |
| Reflector/Optics: | Metalized polycarbonate mirror reflector |
| Glass/Screen: | Transparent polycarbonate |
| Driver: | Remote driver for LED, 400mA dc stabilized output |

TECHNICAL DATA

| Tension: | 220-240V 50/60Hz |
|------------------------|---------------------------|
| Beam: | Symmetrical diffusing 56° |
| Current: | 400mA |
| Insulation class: | 3 |
| Weight: | 0.80 kg |
| IP grade: | 20 |
| Glow wire: | 650 °C |
| Lamp included: | Yes |
| LED type: | COB LED |
| Overall power: | 16.3 W |
| Appliance flow: | 1362 lm |
| Nominal duration: | 50.000 (h) L80 B20 |
| Color temperature: | 3000 K |
| Color rendering index: | > 90 |
| Color consistency: | 3 SDCM |

LIGHT SOURCE: 1 x LED 14.30W 1696Im



NOTES

Recommended accessories: frontable frame BW 3126-1 NE 3126-2 GOLD 3126-3 SILVER 3126-4 COLORS ON REQUEST 3126-5


On request: ROD DALL







INDOOR > REMOVABLE-ADJUSTABLE RECESSED > STILO 60 INCASSO

TECHNICAL DRAWING



PHOTOMETRIC CURVES





DRIVER

645984



Power supply for led diodes, 350mA output current

646777



DALI+PUSH DIM driver- 42W IP20- 150mA÷1050mA

ACCESSORIES





INDOOR > REMOVABLE-ADJUSTABLE RECESSED > STILO 60 INCASSO

| | Shielding cylinder 3114 BR 3115 NE |
|---|--|
| | Honeycomb grid |
| Ð | Spillring Cylinder 3119 NE |
| 0 | Elliptical lens 3121 |
| 0 | Diffusing lens 3123 |

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using highquality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

