

INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE



FEATURES

Intended Use:	Interior
Installation:	Suspension
Fixing:	Suspension system with steel rope(s) L=3100 mm and micrometric adjustment
Body/Structure:	Body made of extruded aluminum - Heads made of thermoplastic material
Painting:	Interior polyester powder coating
Finish:	White
Reflector/Optics:	LED lens in methacrylate
Glass/Screen:	Polycarbonate reflector for LED
Driver:	Integrated DALI dimmable driver for LEDs, max. output 500mA dc

TECHNICAL DATA

Tension:	220-240V 50/60Hz
Beam:	Elliptical 25x35°
Current:	500mA
Insulation class:	1
Weight:	2.7 kg
IP grade:	20
Glow wire:	650 °C
Lamp included:	Yes
LED type:	Power LED
Overall power:	40 W
Appliance flow:	3038 lm
Nominal duration:	50.000 (h) L80 B20
Color temperature:	4000 K
Color rendering index:	>90
Color consistency:	3 SDCM

LIGHT SOURCE: 8 x LED 4.50W 470Im



NOTES

On request. Bend Micro kit with drivers to be inserted into the sides of the luminaire (no. 2 spots max per luminaire). L 1250mm







INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE

TECHNICAL DRAWING



PHOTOMETRIC CURVES





ACCESSORIES



BR
NR
BR
NR

Rosette

Adapter for 3-phase track (already mounted on the device)



3193



3194



INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE



COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using highquality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

