

INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE



FEATURES

Intended Use:	Interior	
Installation:	Suspension	
Fixing:	Suspension system with steel rope(s) L=3100 mm and micrometric adjustment	
Body/Structure:	Body made of extruded aluminum - Heads made of thermoplastic material	
Painting:	Interior polyester powder coating	
Finish:	White	
Glass/Screen:	Polycarbonate prismatic diffuser screen	
Driver:	Integrated DALI dimmable driver for LED, 24Vdc output	

TECHNICAL DATA

Tension:	220-240V 50/60Hz
Beam:	Symmetrical diffusing 120°
Current:	24Vdc
Insulation class:	1
Weight:	2.3 kg
IP grade:	40
Glow wire:	650 °C
Lamp included:	Yes
LED type:	SMD LED
Overall power:	25 W
Appliance flow:	2049 lm
Nominal duration:	50.000 (h) L80 B20
Color temperature:	4000 K
Color rendering index:	>90
Color consistency:	3 SDCM

LIGHT SOURCE: 1 x LED 22.00W 2700Im



NOTES


On request: power increased max 36 Led L 1060mm







INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE

TECHNICAL DRAWING



PHOTOMETRIC CURVES





ACCESSORIES



wall mount kit 3194

Adapter for 3-phase track (already mounted on the device)



3193



Rosette	
168	BR
169	NR
165	BR
166	NR





INDOOR > CONTROLLED LIGHT > TRAIL SOSPENSIONE

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using highquality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

