



FEATURES

Intended Use:	Exteriors
Installation:	Ground Recessed
Body/Structure:	Stainless steel body
Finish:	Polished stainless steel
Glass/Screen:	Transparent polycarbonate diffuser screen
Driver:	Not included; must be ordered separately

TECHNICAL DATA

Beam:	Symmetrical, double radiant emission 125°
Current:	500mA
Insulation class:	3
Weight:	0.2 kg
IP grade:	68
Grade IK:	9
Drive-over:	Yes
Glow wire:	850 °C
Lamp included:	Yes
LED type:	Power LED
Overall power:	2 W
Appliance flow:	58 lm
Nominal duration:	50.000 (h) L80 B10
Color temperature:	3000 K
Color rendering index:	>80
Color consistency:	3 SDCM


LIGHT SOURCE: 1 x LED 2.00W 145lm




NOTES

Maximum nighttime ambient temperature when the fitting is on not exceeding 50°C
 Minimum nighttime ambient temperature when the fitting is on not lower than -20°C
 Maximum daytime ambient temperature when the fitting is off not exceeding 60°C

TECHNICAL DRAWING




PHOTOMETRIC CURVES




Emax/Emin	180°	90°	0 m
5/3	Area NAN x NAN	90°	2 m
2/1	Area NAN x NAN	90°	4 m
1/1	Area NAN x NAN	90°	6 m
1/1	Area NAN x NAN	90°	8 m
1/1	Area NAN x NAN	90°	10 m
1/1	Area NAN x NAN	90°	12 m
	0°	90°	
	00-C180 110° x 110°	090-C270 120° x 120°	


DRIVER



644758
DRIVER
Driver ON-OFF 8W 350mA IP20



645496
DRIVER
DRIVER ON-OFF 10W 500mA IP20 - 6 luminaires




645086
DRIVER
DRIVER ON-OFF 20W 500mA IP20

E878-LBC

EXTERIOR > WALKOVER MICRO RECESSED UPLIGHTERS > EYES SEGNAPASSO




645626-1
DRIVER
DRIVER ON-OFF 20W 500mA IP67



645939
Driver DALI
DALI dimm. driver for led diodes, programmable output current, Pmax 26W

ACCESSORIES



Housing for recessed, recessed hole 32mm

186-3

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using high-quality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.