

EXTERIOR > CEILING/WALL MICRO RECESSED SPOTS > EYES







FEATURES

Intended Use:	Exteriors
Installation:	Recessed Ceiling
Recessed hole:	Ø 73 mm
Fixing:	Steel springs
Body/Structure:	EN AB-47100 aluminum die-cast body and ABS ring/frame
Painting:	Luminaire body base painted in polyester powder with special outdoor treatment (sandblasting, pickling, No. 3 washing, fluorzirconating, epoxy powder primer and polyester powder surface finish).
Finish:	White
Reflector/Optics:	Metalized polycarbonate mirror reflector
Glass/Screen:	Clear tempered glass
Driver:	Remote driver for LED, 150mA dc stabilized output

TECHNICAL DATA

Tension:	220-240V
Beam:	Concentric symmetrical 40°
Current:	150mA
Insulation class:	3
Weight:	0.5 kg
IP grade:	65
Glow wire:	850 °C
Lamp included:	Yes
LED type:	COB LED
Overall power:	6.2 W
Appliance flow:	673 lm
Nominal duration:	50.000 (h) L90 B20
Color temperature:	3000 K
Color rendering index:	>90
Color consistency:	3 SDCM

LIGHT SOURCE: 1 x LED 5.20W 700lm













Only for led source: special version prepared for formwork suitable for concrete intallations.

ordering example: E8140C-MLBC-10 (add the c after the item number and complete the code) + order formwork item 148.

Maximum nighttime ambiance temperature when the fitting is on not exceeding 50°C Minimum nighttime ambiance temperature when the fitting is on not lower than -20°C Maximum daytime ambiance temperature when the fitting is off not exceeding 60°C



EYES 90

KTE8140MLBC40





EXTERIOR > CEILING/WALL MICRO RECESSED SPOTS > EYES

TECHNICAL DRAWING



PHOTOMETRIC CURVES





DRIVER



646209 DRIVER Remote driver x led



645939 Driver DALI DALI dimm. driver for led diodes, programmable output current, Pmax 26W

ACCESSORIES



EYES 90

KTE8140MLBC40



EXTERIOR > CEILING/WALL MICRO RECESSED SPOTS > EYES

Formwork for slabs



148

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using high-quality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

