
EXTERIOR > WALKOVER MICRO RECESSED UPLIGHTERS > EYES GROUND









FEATURES

Intended Use:	Exteriors
Installation:	Ground recessed
Body/Structure:	Stainless steel body and ring/frame - Thermoplastic material formwork
Finish:	Satin stainless steel
Reflector/Optics:	Metalized polycarbonate mirror reflector
Glass/Screen:	Clear screen-printed tempered glass
Driver:	Not included; must be ordered separately

TECHNICAL DATA

Beam:	Symmetrical diffusing 30°
Current:	350mA
Insulation class:	3
Weight:	0.3 kg
IP grade:	67
Grade IK:	7
Drive-over:	Yes
Static load:	500 kg
Glow wire:	850 °C
Lamp included:	Yes
LED type:	COB LED
Overall power:	1.2 W
Appliance flow:	100 lm
Nominal duration:	50002 (h) L80 B20
Color temperature:	3000 K
Color rendering index:	>80
Color consistency:	3 SDCM

LIGHT SOURCE: 1 x 1.2W 100lm















NOTES


Optional: ...-TSC TORX security screws




Maximum nighttime ambiance temperature when the fitting is on not exceeding 50°C Minimum nighttime ambiance temperature when the fitting is on not lower than -20°C Maximum daytime ambiance temperature when the fitting is off not exceeding 60°C


EXTERIOR > WALKOVER MICRO RECESSED UPLIGHTERS > EYES GROUND

TECHNICAL DRAWING




PHOTOMETRIC CURVES






DRIVER



645732


6W to 42W 150/1050mA IP20 ON-OFF Driver



645939

Driver DALI

DALI dimm. driver for led diodes, programmable output current, $\mbox{\sc Pmax}$ 26W



646364 DRIVER

DRIVER ON-OFF14W 350mA IP 67



$\hbox{\bf EYES 80-T GROUND FLAT - Symmetrical}\\$

E8496-LBC-30



EXTERIOR > WALKOVER MICRO RECESSED UPLIGHTERS > EYES GROUND

ACCESSORIES

IP68 connector ø 7 to 12mm



646308 N

Recessed box



185 NE

COMPANY

Side Spa has always been a benchmark in the manufacturing industry for its constant focus on product quality, assembly and sustainability of its items. The company is distinguished by its dedication to offering customers the highest quality products that meet needs and exceed expectations.

Side Spa pays the utmost attention to the quality of its products. Each stage of production undergoes rigorous quality control to ensure that only first-class items reach the market. By using high-quality materials and adopting state-of-the-art manufacturing processes, the company is able to offer products that stand the test of time and maintain their performance over the years. Quality is a top priority for Side Spa, which strives to meet the highest standards of excellence.

